

C66 Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024
Issue date: 3/18/2026 Revision date: 3/18/2026 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : C66 Dark Fury

1.2. Other means of identification

Synonyms : C66, Rage

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Tire and Wheel Cleaner

1.4. Supplier's details

Manufacturer

Superior Products
6962 Highway 111
S. Roxana, IL, 62087
USA
T 800 424-9300, Contact Phone: 618 254-7400 - F 618 254-7421
sds@superiorproducts.com

1.5. Emergency phone number

Emergency number : 1-800-424-9300

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion, Category 1B
Serious eye damage, Category 1

Causes severe skin burns.
Causes serious eye damage.

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: Causes severe skin burns and eye damage

Precautionary statements (GHS US)

: Do not breathe dusts or mists.

Wash hands, forearms and face thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, face protection.

If swallowed: rinse mouth. Do NOT induce vomiting.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Take off immediately all contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Store locked up.

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

Not applicable

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)
Alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3	*
Sodium hydroxide	CAS-No.: 1310-73-2	*
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides	CAS-No.: 61791-10-4	*
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt	CAS-No.: 64-02-8	*
1-Butoxy-2-propanol	CAS-No.: 5131-66-8	*
Sodium metasilicate pentahydrate	CAS-No.: 10213-79-3	*

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Causes burns to the respiratory system.
Symptoms/effects after skin contact	: Causes severe skin burns. Symptoms may include redness, pain, blisters.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon..

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

For non-emergency personnel

Emergency procedures : Do not touch or walk on the spilled product.

For emergency responders

Environmental precautions : Prevent entry to sewers and public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leak if safe to do so. Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Do not get in eyes, on skin, or on clothing. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures : Take off contaminated clothing and wash it before reuse. Wash hands, forearms, and face thoroughly after handling.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in original container. Store locked up.

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)	
USA - ACGIH® - Threshold Limit Values	
ACGIH® TLV® C	2 mg/m³
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	2 mg/m³
USA - IDLH - Occupational Exposure Limits	
IDLH	10 mg/m³
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (Ceiling)	2 mg/m³
US-NIOSH chemical category	SK: DIR(COR) Apr 2011

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Wear eye/face protection
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Coloured liquid.
Color	: Dark brown
Odor	: Characteristic
Odor threshold	: No data available
pH	: 14
Melting point	: No data available
Freezing point	: No data available

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Boiling point	: No data available
Flash point	: 5001 °C / 9034 °F
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: completely soluble.
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

Alcohols, C9-11, ethoxylated

Boiling point	260 °C
Flash point	125 °C
Vapor pressure	117 Pa Temp.: 20 °C
Particle characteristics	No data available

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt

Flash point	> 100 °C (closed cup)
Auto-ignition temperature	> 100 °C
Vapor pressure	0 hPa Temp.: 25 °C
Particle characteristics	No data available

Sodium hydroxide

Boiling point	1390 °C
Vapor pressure	0 hPa (at 20 °C)
Particle characteristics	No data available

1-Butoxy-2-propanol

Boiling point	171 °C Atm. press.: 1013 hPa Decomposition: 'no'
Flash point	59.5 – 60 °C (closed cup)
Vapor pressure	0.187 kPa (at 25 °C)
Particle characteristics	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Irritating fumes.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alcohols, C9-11, ethoxylated (68439-46-3)

LD50 oral rat	1400 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (64-02-8)

LD50 oral rat	1658 mg/kg (Source: NZ_CCID)
LD50 oral	1210 mg/kg

Sodium hydroxide (1310-73-2)

LD50 oral rat	325 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	1350 mg/kg (Source: NLM_HSDB)

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides (61791-10-4)

LD50 oral rat	580 mg/kg (Source: NLM_CIP)
---------------	-----------------------------

1-Butoxy-2-propanol (5131-66-8)

LD50 oral rat	1900 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LD50 dermal rabbit	3100 mg/kg (Source: PubChem)

Sodium metasilicate pentahydrate (10213-79-3)

LD50 oral rat	1280 mg/kg Source: HSNO CCID
---------------	------------------------------

Skin corrosion/irritation : Causes severe skin burns.
pH: 14

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Additional Data : OECD 435/Corrositex® In Vitro Membrane Barrier Test Method for Skin Corrosion determined an average breakthrough time of 13.6 minutes, supporting the determined Skin Corrosion Category 1B classification.

Sodium hydroxide (1310-73-2)	
pH	12 (conc: 0.05 % (solution))

Serious eye damage/irritation : Causes serious eye damage.
pH: 14

Sodium hydroxide (1310-73-2)	
pH	12 (conc: 0.05 % (solution))

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Sodium hydroxide (1310-73-2)	
STOT-single exposure	May cause respiratory irritation.

Sodium metasilicate pentahydrate (10213-79-3)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Alcohols, C9-11, ethoxylated (68439-46-3)	
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

1-Butoxy-2-propanol (5131-66-8)	
LOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral,rat,90 days)	350 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	880 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified
Symptoms/effects after inhalation : Causes burns to the respiratory system.
Symptoms/effects after skin contact : Causes severe skin burns. Symptoms may include redness, pain, blisters.
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Hazardous to the aquatic environment, short-term : Not classified
(acute)

Hazardous to the aquatic environment, long-term : Not classified
(chronic)

Alcohols, C9-11, ethoxylated (68439-46-3)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (64-02-8)	
LC50 - Fish [1]	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: IUCLID)
EC50 - Crustacea [1]	> 114 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 72h - Algae [1]	> 60 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ErC50 algae	1.01 mg/l
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Duration: '35 d'

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
EC50 - Crustacea [1]	40 mg/l

1-Butoxy-2-propanol (5131-66-8)	
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 - Fish [1]	6.7 mg/l Source: SIDS
EC50 - Crustacea [1]	5.8 mg/l Source: SIDS

12.2. Persistence and degradability

C66 Cover All Dark Fury	
Persistence and degradability	Not established.
Alcohols, C9-11, ethoxylated (68439-46-3)	
Persistence and degradability	Rapidly degradable
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (64-02-8)	
Persistence and degradability	Rapidly degradable
Sodium hydroxide (1310-73-2)	
Persistence and degradability	Rapidly degradable

C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides (61791-10-4)	
Persistence and degradability	Rapidly degradable
1-Butoxy-2-propanol (5131-66-8)	
Persistence and degradability	Rapidly degradable
Sodium metasilicate pentahydrate (10213-79-3)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

C66 Cover All Dark Fury	
Bioaccumulative potential	Not established.
1-Butoxy-2-propanol (5131-66-8)	
Partition coefficient n-octanol/water	1.2 (at 20 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No
Other information	: No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--	---

SECTION 14 Transport information

In accordance with DOT

Limited quantity: For corrosive materials in Packing Group II, inner packagings not over 1.0 L (0.3 gallon) net capacity each for liquids or not over 1.0 kg (2.2 pounds) net capacity each for solids, packed in a strong outer packaging.

14.1. UN number

UN-No. (DOT)	: UN3267
--------------	----------

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Corrosive liquid, basic, organic, n.o.s. (Sodium Hydroxide, Sodium Metasilicate Pentahydrate)
----------------------------	---

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: 8
Hazard labels (DOT)	: 8



C66 Cover All Dark Fury

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

14.4. Packing group

Packing group (DOT) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Revision date : 3/18/2026
Issue date : 3/18/2026
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Safety Data Sheet (SDS), USA

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.