

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Clearview
Product Use Description : Glass Cleaner

Manufacturer or supplier's details

Company Address : Superior Products Co
6962 State Route 111
South Roxana IL 62087
United States of America

Emergency telephone number:

Health North America: 1-800 779 8826

Transport North America: CHEMTREC 800.424.9300

Additional Information: : Responsible Party: Product Safety Group
[E-Mail: sds@nexeosolutions.com](mailto:sds@nexeosolutions.com)
MSDS Requests: 1-800-779-8826
MSDS Requests Fax: 1-618-254-7421
Website: www.superiorproducts.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/
spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated
area. P280 Wear protective gloves/ eye protection/
face protection.

Potential Health Effects

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Emergency Overview

WARNING!	
Appearance	liquid
Colour	colourless, clear
Odour	alcohol-like

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
67-63-0	Isopropyl alcohol	90 - 100
64-17-5	Ethanol	0.1 - 1

Synonyms : Isopropanol Anhydrous/Isopropyl Alcohol ACS

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Grade/Velvasol 425/Value Grade Isopropanol/Isopropyl Alcohol

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
No hazardous combustion products are known
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

	<p>: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</p>
Personal precautions, protective equipment and emergency procedures	<p>: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.</p>
Environmental precautions	<p>: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).</p>
Methods and materials for containment and cleaning up	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<p>: Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pres-</p>
-------------------------	---

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

sure.

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

: No smoking.
 Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
67-63-0	Isopropyl alcohol	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980	NIOSH REL
		ST	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980	OSHA Z-1
		TWA	400 ppm 980	OSHA P0
		STEL	500 ppm 1,225 mg/m ³	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropyl alcohol	67-63-0	Acetone	In urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
 In the case of vapour formation use a respirator with

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

	an approved filter.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, clear
Odour	: alcohol-like
Odour Threshold	: 200 ppm
pH	: No data available
Freezing Point (Melting point/freezing point)	: -88 °C (-126 °F)
Boiling Point (Boiling point/boiling range)	: 82 °C (180 °F)
Flash point	: 12 °C (54 °F)
Evaporation rate	: 1.2 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 12.7 %(V)

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Lower explosion limit	: 2 %(V)
Vapour pressure	: 32 mmHg @ 20 °C (68 °F)
Relative vapour density	: 2 @ 20 °C (68 °F) AIR=1
Relative density	: 0.79 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 0.79 g/cm ³ @ 20 °C (68 °F)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other sol vents	: No data available
Partition coefficient: n- octanol/water	: log Pow: 0.05 @ 25 °C (77 °F)
Auto-ignition temperature	: 399 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 2.4 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic	: 2.6 mm ² /s @ 25 °C (77 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Aldehydes

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Chlorine
Ethylene oxide
halogens
isocyanates
Strong acids
strong oxidizing agents

Hazardous decomposition products : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

67-63-0:

Acute oral toxicity : LD50 (rat): 5,500 mg/kg
Symptoms: ataxia, Vomiting, Pain, hypothermia, Coma, Dizziness

Acute inhalation toxicity : LC50 (rat, male and female): > 10000 ppm
Exposure time: 6 h
Test atmosphere: vapour
Symptoms: Central nervous system depression
GLP: yes
Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

Acute dermal toxicity : LD50 (rabbit): > 12,800 mg/kg

64-17-5:

Acute oral toxicity :
Assessment: The component/mixture is toxic after

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

single ingestion.
Remarks: No data available

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.
Remarks: No data available

Acute dermal toxicity : Assessment: The component/mixture is toxic after single contact with skin.
Remarks: No data available

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

67-63-0:

Species: rabbit
Exposure time: 4 h
Method: In vivo
Result: Not irritating to skin
Remarks: Not irritating to skin

64-17-5:

Result: Irritating to skin.
Remarks: No data available

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Components:

67-63-0:

Species: rabbit
Result: Irritating to eyes.
Exposure time: 24 h
Method: In vivo

64-17-5:

Species: rabbit
Result: Eye irritation

Respiratory or skin sensitisation

Components:

67-63-0:

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Test Type: Buehler Test
Exposure routes: Dermal
Species: guinea pig
Assessment: Does not cause respiratory sensitisation.
Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.
GLP: yes
Remarks: not sensitising

64-17-5:

Test Type: lymph node assay
Species: mouse
Method: OECD Test Guideline 429
GLP: No data available
Remarks: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

67-63-0:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: Mammalian cell gene mutation assay
Test species: Chinese hamster ovary (CHO)
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: mouse (male and female)
Application Route: Intraperitoneal
Exposure time: Single
Dose: 0, 350, 1173, 2500, 3500 mg/kg
Result: negative
GLP: yes

Germ cell mutagenicity-Assessment : Did not show mutagenic effects in animal experiments.

64-17-5:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

GLP: No data available

: Test Type: Ames test
Test species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No data available

Genotoxicity in vivo : Test Type: Dominant lethal assay
Test species: mouse (male)
Application Route: Oral
Dose: 10 or 40% ethanol in water
Method: OECD Test Guideline 478
Result: Ambiguous
GLP: No data available

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

67-63-0:

Species: rat, (male and female)
Application Route: inhalation (vapour)
Exposure time: 104 wks
Activity duration: 6 h
Dose: 0, 500, 2500, 5000 ppm
Frequency of Treatment: 5 days/week
NOAEL: 5,000 ppm

Method: OECD Test Guideline 451
Result: did not display carcinogenic properties
GLP: yes

Species: mouse, (male and female)
Application Route: inhalation (vapour)
Exposure time: 78 wks
Activity duration: 6 h
Dose: 0, 500, 2500, 5000 ppm
Frequency of Treatment: 5 days/week
NOAEL: 5,000 ppm

Result: did not display carcinogenic properties
GLP: yes

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

64-17-5:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

67-63-0:

Effects on fertility : Test Type: Two-generation study
Species: rat, male and female
Dose: 0, 100, 500, 1000 mg/kg bw/d
General Toxicity - Parent: NOAEL: 500 mg/kg body weight
General Toxicity F1: NOAEL: 500 mg/kg body weight
Fertility: NOAEL: 1,000 mg/kg body weight
Symptoms: Maternal effects. Fetotoxicity. Reduced offspring weight gain.
Method: OECD Test Guideline 416
Result: Animal testing did not show any effects on fertility.
GLP: yes

Effects on foetal development

: Species: rabbit
Application Route: Oral
Dose: 0, 120, 240, 480 mg/kg bw/day
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEL: 240 mg/kg body weight
Developmental Toxicity: NOAEL: 480 mg/kg
Symptoms: Maternal toxicity
Result: No teratogenic effects.
GLP: yes

: Animal testing did not show any effects on fertility.
Did not show teratogenic effects in animal experiments.

64-17-5:

Reproductive toxicity - Assessment Effects on fertility : Test Type: Two-generation study
Species: mouse, male and female
Application Route: oral
Dose: 5, 10 and 15% v/v in water
General Toxicity - Parent: NOAEL: 15 % diet
General Toxicity F1: NOAEL: 10 % diet
Symptoms: reduced litter size Reduced sperm motility in F1 generation
Method: OECD Test Guideline 416
GLP: No data available

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Effects on foetal development

: Species: rat
Application Route: Inhalation
Dose: 10,000, 16,000 or 20,000 ppm
General Toxicity Maternal: NOAEL: 16,000 ppm
Teratogenicity: NOAEL: > 20,000 ppm
Symptoms: No malformations were observed.
Method: OECD Test Guideline 414
GLP: No data available

: No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments.

Reproductive toxicity
- Assessment

ST

OT - single exposure

Product:

Target Organs: Central nervous system

Components:

67-63-0:

Exposure routes: Inhalation
Target Organs: Central nervous system
Assessment: May cause drowsiness or dizziness.

Components:

No data available

STOT - repeated exposure

Product:

No data available

Components:

No data available

Components:

No data available

Repeated dose toxicity

Components:

67-63-0:

Species: rat, male and female
NOAEL: > 5000
Application Route: inhalation (vapour)
Exposure time: 13 wks
Number of exposures: 6 h/d, 5 d/wk

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Dose: 0, 100, 500, 1500, 5000 ppm
Method: OECD Test Guideline 413
GLP: yes
Symptoms: Central nervous system depression

Species: mouse, male and female
NOAEL: > 5000
Application Route: inhalation (vapour)
Exposure time: 13 wks
Number of exposures: 6 h/d, 5 d/wk
Dose: 0, 100, 500, 1500, 5000 ppm
Method: OECD Test Guideline 413
GLP: yes
Symptoms: Central nervous system depression

64-17-5:

Species: rat, male and female
NOAEL: 10 ml/kg
Application Route: Oral
Exposure time: 7 or 14 wk
Number of exposures: 2 times/d, 7 d/wk
Dose: 5, 10, 20ml/kg of 16.25% etoh
Method: OECD Test Guideline 408
GLP: yes

Aspiration toxicity

Components:

67-63-0:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-63-0:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Test Type: static test

Toxicity to algae : Remarks: No data available

Toxicity to bacteria : Toxicity threshold (Pseudomonas putida): 1,050 mg/l
Exposure time: 16 h

64-17-5:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):
15,300 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia): 5,012 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: No data available

Persistence and degradability

Components:

67-63-0:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Method: OECD Test Guideline 301E

Chemical Oxygen Demand (COD) : 0.00209 mg/g

Theoretical Oxygen Demand (ThOD) : 0.00240 mg/g

64-17-5:

Biodegradability : Result: Readily biodegradable.

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Bioaccumulative potential

Components:

67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Does not significantly accumulate in organisms.

Partition coefficient: n-octanol/water : log Pow: 0.05 (25 °C)

64-17-5:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

67-63-0:

Stability in soil : Remarks: Adsorbs on soil.

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological in formation : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1219, Isopropanol, 3 , II

IMDG (International Maritime Dangerous Goods): UN1219, ISOPROPANOL, 3, II,
Flash Point:12 °C(54 °F)

DOT (Department of Transportation): UN1219, Isopropanol, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Flammable liquid, Moderate eye irritant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

67-63-0	Isopropyl alcohol	100 %
64-17-5	Ethanol	0.1 %
71-23-8	n-Propanol	0.015 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

67-63-0	Isopropyl alcohol	90 - 100 %
---------	-------------------	------------

Pennsylvania Right To Know

67-63-0	Isopropyl alcohol	90 - 100 %
---------	-------------------	------------

New Jersey Right To Know

67-63-0	Isopropyl alcohol	90 - 100 %
64-17-5	Ethanol	0.1 - 1 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

1907/2006 (EU)	:	n (Negative listing) (Not in compliance with the inventory)
Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

Material Safety Data Sheet

Clearview Glass Cleaner


Version 1.0

Revision Date: 08/01/2018

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0001444

Material number:

16067144, 708297, 153649, 16063169, 16062664, 16062659, 16062658, 16056239, 16056234, 16056233, 16056232, 16056231, 16056230, 16056236, 16056235, 16056229, 16056228, 16056212, 16061245, 16053485, 16052635, 16049720, 16045941, 16045942, 16030493, 16030184, 16023890, 16020147, 16017860, 16010158, 16000104, 779179, 777274, 776868, 772812, 772811, 749963, 744289, 744288, 744287, 737212, 728214, 717444, 713300, 696169, 696170, 686168, 667236, 667235, 642426, 638919, 628350, 622971, 620243, 615270, 614245, 614244, 607424, 604761, 598540, 598539, 598538, 596088, 590687, 584582, 574318, 568108, 554273, 554170, 554086, 554045, 554336, 554300, 550689, 549773, 554335, 554291, 554272, 554257, 554206, 554169, 554149, 554085, 554371, 556671, 547315, 547297, 551361, 544760, 508619, 508618, 508414, 55018, 73136, 55939, 55835, 104158, 56756, 105079, 71262

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
-------	---	------	-----------------

Material Safety Data Sheet

Clearview Glass Cleaner

Version 1.0

Revision Date: 08/01/2018

AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%